

Behrens Reliable Tin Dairy Pails

Heavy Plain Bail



Made from best quality Bright Tin Plate. Full Wt. IXX sides, with heavy IXXX bottom. A good heavy weight pail at popular prices.

As Above — **SANITARY SOLDERED**
(Full Sanitary Soldered inside and outside)

No. S121S	12 Qt.	6/PK-18 LBS.	
H-2001	S121S	10%	10.95 ea

UTILITY MILK PAIL

Jersey Pattern
(flaring)



Standard weight Tin Dairy Pail.
Made from IXL Bright Tin Plate,
riveted ears.

No. 12-L	12 Qt.	12/PK-28 LBS.	
H-2002	12L	10%	4.89 ea

Swiss Pattern Pails



SANITARY - HOT TINNED

No. S161S	16 Qt.	6/PK WT. 22 LBS.	
H-2004	S161S	10%	13.12 ea

Reliable Cream Setting Cans

With Regular Outside Loose Fitting Cover



A popular priced reliable can, made of best quality bright tin plate heavy wire bail with enameled wood handle.

IX FULL WT. BRIGHT TIN SIDES, HEAVY IXXX BOTTOM

	Trade Size	Cap. Qts.	Size		Cs. Dz.	Shipping Wt. Dz.
			Dia.	Ht.		
No. 1110	10	9	9" x 9 1/2"		1/2	32 lbs.
No. 1114	14	12 3/4	9" x 13 3/8"		1/2	38 lbs.
No. 1120	20	18 3/4	9" x 19 3/8"		1/2	50 lbs.

H-2010	1110	10%	6.16 ea
H-2011	1114	10%	6.34 ea
H-2012	1120	10%	7.69 ea

5-qt. Household Milk or Cream Can

Small can will fit household refrigerator.

Used for carrying family milk supply.

MADE FROM IXX BRIGHT TIN PLATE.
OUTSIDE FITTING LID



	Size		Cs. Dz.	Shipping Wt. Dz.
	Dia.	Ht.		
5-Qt.	7"	8 3/4"	1/2	20 lbs.

H-2014	752	10%	3.81 ea
--------	-----	-----	---------

Junior Dairy Pail or Calf Feeder




BRIGHT TIN PLATE
(RIVETED EARS)

No.	8 Qt.	Shipping Wt. Dz.	
		Cs. Dz.	
No. 81		1	25 lbs.

H-2015	81	10%	4.80 ea
--------	----	-----	---------

GALVANIZED PAIL



Medium weight Calf Pail --- Utility Household Bucket.

This size and shape preferred by the housewife for utility household use.

HOT-DIP GALVANIZED AFTER FORMING

Riveted Anti-Wedge Ears, Embossed Bottom
(Plain smooth body --- less bead)

No.	8 Qt.	Size			Bdl. Dz.	Wt. Dz.
		Top	Btm.	Ht.		
No. 28		10 1/4"	8 3/8"	7 7/8"	1	19 lbs

H-2016	28	10%	3.04 ea
--------	----	-----	---------

Extra Heavy — Calf Pail

This pail is alone in its class. Do not confuse with other make light weight pails marketed under like stock number.

HOT-DIP GALVANIZED AFTER FORMING

Riveted Ears, Heavy Top Wire, Heavy Strong Wire Bail.

		Size			Bdl. Dz.	Wt. Dz.
		Top	Btm.	Ht.		
No. 188	8 Qt.	10½"	8¾"	7¾"	1	28 lbs.
H-2017	188	10%				3.35 ea

Coyner Calf Feeder



No. C-8

New Improved


MILK-SAVER VALVE SIPHONS PAIL EMPTY:
SAVES MILK: Prevents Milk Replacer Essential Nutrients from Settling Out.

No. C-8 Extra Heavy 8 Quart - - - 36 lbs.

6/BDL

H-2018 C8 10% 6.62 ea

Give the
Little Suckers
A Chance!



Extra:

Coyner Replacement Accessories -

No. C8-A Extra Nipple Assembly Complete With Valve and Ring.
No. C8-N Extra Nipple Only
No. C8-V Extra Milk-Saver Ball Check-Valve only

6/BDL

H-2019 C8A 10% 2.45 ea
H-2020 C8N 10% .66 ea
H-2021 C8V 10% 1.36 ea

INDIVIDUAL HOG PAN

One-Piece Seamless Drawn.

28 gauge Galv. Steel

12/BDL-20 LBS.

H-2025 2168 10% 2.37 ea

Galvanized Pails**Hot Galvanized After Forming**

Riveted Anti-Wedge Ears, Beaded Body, Embossed Bottom.

	Size			Bdl. Dz.	Wt. Dz.
	Top	Btm.	Ht.		
8 Qt.	9½"	8¾"		1	18 lbs.
10 Qt.	10¼"	8¾"	9¼"	1	22 lbs
12 Qt.	11⅝"	8¾"	10"	1	23 lbs.
14 Qt.	11⅝"	8¾"	10¾"	1	27 lbs

H-2030 1208 10% 3.21 ea
H-2031 1210 10% 3.30 ea
H-2032 1212 10% 3.57 ea
H-2033 1214 10% 3.82 ea

Extra Heavy Stock Pails

(Flaring Pattern)

HOT DIP GALVANIZED AFTER FORMING

Four Rivet Heavy Butterfly Ears, with Heavy Galvanized Iron Bail. (Less decorative stripe)

		Size			Bdl. Dz.	Wt. Dz.
		Top	Btm.	Ht.		
No. 1515	15 Qt.	12½"	9¼"	10¾"	½	46 lbs
H-2034	1515	10%				6.23 ea

Utility Tubs



Scrub Tub, Foot Tub, Stock Watering, Feed Pail
Larger, Greater Capacity Than Similar Tubs On The Market.

Riveted Anti-Wedge Ears; Beaded Body; Embossed Bottom.

HOT-DIP GALVANIZED AFTER FORMING

	Capacity	Size		Bdl. Dz.	Wt. Dz.
		Top	Ht.		
No. 4	4¾ Gal.	14¾"	12"	8¼"	1 33 lbs.

H-2036 4 10% 4.58 ea

Standard Wash Tubs




HOT GALVANIZED AFTER FORMING

Double seamed corrugated bottom; body reinforced by horizontal anti-wedge swedge. Heavy steel hoop rolled in top. Drop Handles. Without wringer attachments.

	Capacity	Size		Bdl. Dz.	Wt. Dz.
		Top	Ht.		
2	13¾ Gals.	21 7/8"	11"	½	72 lbs.
H-2042	2		10%		9.53 ea

Square Wash Tubs



HOT GALVANIZED AFTER FORMING

Capacity	Size		Bdl. Dz.	Wt. Dz.
	Top	Ht.		
42	15½ Gals.	20½" x 11½"	½	82 lbs.
H-2045	42	10%		12.57 ea

Heavy Galvanized Boiler



MADE FROM TIGHT COAT SMOOTH
GALVANIZED SHEET STEEL 28 GAUGE
SEAMS SOLDERED WATER TIGHT.
BRIGHT TIN COVER

(Size and Specifications as Above)

	Capacity	Trade	Shipping Weight	
			Cs. Dz.	
No. 809	13 Gal.			120 lbs.
H-2052	809	10%		20.41 ea

Garbage Pails

GALV
SHEET

Straight Side Nestable. Cover-Lock Bail

Capacity	Size		Bdl. Dz.	Wt. Dz.
	Less Cover Top	Cover Ht.		

10 Gals.	15 3/4" x 15"	1/2	58 lbs.
----------	---------------	-----	---------

H-2061	6110	10%	8.44 ea
--------	------	-----	---------

Garbage or Trash Cans



Deep vertical corrugations; heavy wired top rim; heavy drop handles. Straight side, nestable to handles.

Long Wear Rust Resistant

HOT DIP GALVANIZED AFTER FORMING

	Capacity	Size		Bdl. Dz.	Wt. Dz.
		Less Cover Top	Cover Ht.		
No. 1321	20 Gals.	17 1/4" x 23 1/8"		1/4	116 lbs.
No. 1330	30 Gals.	20 1/4" x 27"		1/4	164 lbs.

As Above — MADE FROM TIGHT COAT GALV. SHEET STEEL

No. 1211	20 Gals.		1/4	88 lbs.
No. 1270	30 Gal		1/4	120 lbs.

HOT DIPPED

H-2067	1321	10%	15.88 ea
H-2068	1330	10%	22.79 ea

GALV. SHEET

H-2069	1211	10%	10.04 ea
H-2071	1270	10%	15.30 ea

Trash and Outdoor Clean-up Bags
Warp'sFLEX-O-BAG®
CLEAN-UP BAGS25 green plastic
bags in each pack-
age with wire ties.Three Bushel Size
Each Bag

(28" x 35")

25 BAGS/PKG
12PKGS/CTN-29 LBS.

H-2063	FLB325	5%	3.17 pkg
--------	--------	----	----------

LAWN & LEAF
CLEAN-UP BAGS4 Jumbo green
plastic bags in
each package
with wire ties.
6 Bushel Size
Each Bag
17" x 16" x 4'2"
(33" x 50")Cat.
No.
FLB-65Packed 24 packages in display
Shipping weight 26 lbs. per carton4 BAGS/PKG
24 PKGS/CTN-26 LBS.

H-2066	FB64	5%	1.19 pkg
--------	------	----	----------

Grain, Feed and Seed Scoops

HEAVY 24-GAUGE GALVANIZED SHEET STEEL

Superior construction — Red Enamelled Tubular Steel Handle Welded to Riveted Bracket.



Round Bottom		Size		Cs. Dz.	Ship. Wt. Dz.
		Dia.	Long		
No. R-2	2 Qt.	5 1/4"	9 1/8"	1/2	12 lbs
No. R-4	4 Qt.	6 3/4"	10 7/8"	1/2	22 lbs

H-2080	R2	10%	3.21 ea
H-2081	R4	10%	3.71 ea

BASKETS



- double bottom, all welded,
- hot-dip galvanized
- strong rope handles
- heavy wire rolled in the rim

100-R 1 bu. 72 lbs./doz.

150-R 1 1/2 bu. 90 lbs./doz.

200-R 2 bu. 98 lbs./doz.

6/BDL

H-2082	100R	10%	8.78 ea
H-2083	150R	10%	10.42 ea
H-2084	200R	10%	11.87 ea

HI-STRENGTH Aluminum

double
bottoms

- corrosion resistant • aluminum alloy sheet
- The rim is reinforced by a heavy wire rolled under the sheet with the ends butt-welded together. • rope handle

A-115-R 46 lbs./doz.

6/BDL

H-2085	A115R	10%	11.68 ea
--------	-------	-----	----------

Flexible Steel Spout Funnel Measures



1 Quart

2 Quart


4 Quart

GALVANIZED

Rust Resistant Hot-Dip Galvanized

No.	Spout Size Length x Dia. O.D.	Case Dz.	Shp. Wt. Dz.
No. 101	1 Qt. 8" x 3/4"	1/2 Doz.	10 lbs.
No. 102	2 Qt. 12" x 1 1/8"	1/2 Doz.	18 lbs.
No. 104	4 Qt. 12" x 1 1/8"	1/2 Doz.	24 lbs.
H-2090	101	10%	5.60 ea
H-2091	102	10%	5.95 ea
H-2092	104	10%	7.13 ea

HOT DIP GALV.



U.S. Standard Measure

Nos.	Capacity	Carton Lots	Carton Weight
001	1 Qt.	6 EA	10 lbs
002	2 Qts.	6 EA	8 lbs.
004	4 Qts.	6 EA	13 lbs.
H-2095	001	10%	4.24 ea
H-2096	002	10%	5.00 ea
H-2097	004	10%	5.94 ea

FUNNELS




Pieced, IC tin; spout tightly sealed to bowl.

Nos.	Trade Capacity	Carton Lots	Carton Weight
15	1/2 Pt	36	3 lbs
20	1 Pt	36	4 lbs
25	1 Qt	36	6 lbs
30	2 Qt	36	8 lbs
35	4 Qt	36	12 lbs

H-2099	15	10%	.66 ea
H-2100	20	10%	.80 ea
H-2101	25	10%	.91 ea
H-2102	30	10%	1.01 ea
H-2103	35	10%	1.16 ea

Offset Dash Funnel

With Fine Mesh Brass Strainer Screen Soldered in spout.



No.	Cs. Doz.	Ship Wt. Doz.
No. 60	5 Qt. 1/2	20 lbs.
Size: 8 3/4" Dia. x 14 1/4" High Spout 1 1/8"		

H-2105	60	10%	6.54 ea
--------	----	-----	---------

Tractor Funnel



With fine mesh brass strainer screen soldered in spout. (Less decorative stripe)

No.	Size Dia.	Ht.	Spout Outlet	Cs. Dz.	Ship. Wt. Dz.
No. 58	8 Qts.	103 8"	123 4"	1 1/8"	1/2 24 lbs

H-2106	58	10%	6.43 ea
--------	----	-----	---------

Outboard Motor Funnels

With Extra Fine Mesh Carburetor Type Brass Strainer Soldered in Spout.

Designed for Filling Smaller Outboard Fuel Tank. Handy too for Power Mowers, Chain Saws, etc.



No. 50	1 1/2 Pts.	1	Ship Cs./Doz. Wt./Doz.
			4 lbs.

Size: 4 3/8" dia. x 5 3/4" high. Spout 3/4"

H-2110 50 10% 2.80 ea

Hot dipped.
Galvanized
Iron
Sprinklers
Paneled spout.



	Trade	Case	Shipping Wt. Dz.
No. 189	8	6	34
No. 209	10	4	36
H-2116	189	10%	10.56 ea
H-2117	209	10%	11.84 ea

Oval Radiator Filler

HOT-DIP GALVANIZED



	Size Capacity	Wt. Dz.
No. 712	12 Qts.	54 lbs.

6/CASE

H-2120 712 10% 9.02 ea

* OIL & GASOLINE CANS
1 Gal. 6/CTN-13 LBS.
2 1/2 Gal. 4/CTN-14 LBS.
5 Gal. 4/CTN-20 LBS.



1 Gallon

2 1/2 Gallon
5 Gallon



26-GAUGE GALVANIZED STEEL NO TOP SEAM NO SIDE SEAM

All sizes equipped with large 2 1/2 inch Hex Cap Filler Opening;

* Oil Cans

(Painted All Blue)

H-2127 5 115E 10% 9.97 ea

* Gasoline Cans

(Painted All Red)


H-2128 6 1 221E 10% 5.70 ea
H-2129 4 2 1/2 222E 10% 6.89 ea
H-2130 4 5 225E 10% 9.97 ea

NEW EAGLE SNO GO Ideal Gas Can for Snowmobiles

Model 509

6 Gal. Capacity
with extra room
for oil additives

24 Gauge
Galvanized
Steel




The New Eagle SNO GO is equipped with a durable polyethylene pour funnel. The funnel's wide 1" OD opening lets you pour quickly.

Constructed from 24 gauge galvanized steel, this heavy duty container is designed for rough usage. It features a sturdy handle and is well balanced, measuring 13 1/2" bottom diameter and 14 1/2" overall height. Painted bright red, the can and funnel are well suited for cold weather operations.

Model	Trade Capacity	Packed per Carton	Weight per Carton
509	6 gal.	4	30 lbs.

H-2138 509 10% 14.87 ea

GALVANIZED GASOLINE CAN.




Strong, seamless drawn, dome shaped body; no top or side seam; durable filler made from 26 ga., galvanized steel; ideal for lawn mowers, gasoline driven tools, etc.; detachable, flexible, rubber spout with strainer, vent-clip cap; oil measure, 1/4, 1/3 or 1/2 pt. U.S. capacities; capacity, 2 1/2 gal.

4/CTN-14 LBS.

H-2131 2 1/2 A 10% 8.66 ea

EAGLE GASOLINE FILLERS



New Polyethylene Plastic
Angled Self-Venting Pour
Spout is equipped with a plastic cap
to seal spout opening

These well constructed eye-catching gasoline fillers are made from tinned steel and are attractively lithographed.

Model No.	Trade Capacity	Height Of Filler	Width Of Filler
1001	1 gal.	10 in.	6 5/8 in.
1002	2 gal.	11 1/2 in.	8 1/2 in.

1 GAL.-12/CTN-13 LBS.

H-2132 1001 10% 2.23 ea

2 GAL.-6/CTN-10 LBS.

H-2133 1002 10% 3.34 ea

Flexible Steel Spouts



Equipped with Cap Screw
Ferruled Tip.

FITS 1 & 2 GALLON SIZE CAN

No. 2758	Dia. x Length 3/4" O.D. x 8 1/2"	Cap Screw 1-inch
----------	-------------------------------------	---------------------

FITS Above New Style 5 Gallon Can

No. 5615	1 1/8" O.D. x 12"	1 1/2"
----------	-------------------	--------

6/BDL

H-2136 2758 10% 1.81 ea

H-2137 5615 10% 2.69 ea

THESE SPOUTS FIT
CANS H-2127 - H-2130